

June 2024

## Health control plan resources

## Vibration

What is vibration?	Why is it a health hazard?	What are the exposure monitoring requirements?	What are the health monitoring requirements?
<ul> <li>Vibration can be:</li> <li>whole body vibration (WBV) where the vibration is transmitted to the body as a whole by its supporting surface</li> <li>hand arm vibration (HAV) is where vibration is transmitted to a specific segment of the upper body such as the hand and arm<sup>1</sup>.</li> </ul>	Studies of long-term exposure to vibration show evidence of risks to health, including musculoskeletal disorders involving the lower spine, elbows, neck and shoulders. High WBV exposure increases the risk of lower back pain, herniated discs and early degeneration of the spine. Exposure to vibration may also cause or make worse: • cardiovascular, respiratory, neurological, endocrine and metabolic changes	As outlined by Safe Work Australia WBV and HAV can be difficult to measure. There is currently no legislated exposure standard for WBV or HAV in Australia, however Safe Work Australia point to the European Union's directive limits. Assessment of vibration needs to be undertaken by a competent person and it is important that the equipment is fit for purpose. For more information with regards to exposure monitoring requirements for vibration please refer to Safe Work Australia: Guide to measuring	There is no specific health monitoring for this health hazard however consideration should be given to the introduction of a health surveillance program that can safe guard the health of workers (including identifying and protecting workers at risk) but also to check the long-term effectiveness of control measures. Further information is available from <u>Safe</u> <u>Work Australia</u> here.

<sup>1</sup> Barbara McPhee et al, 2009, Bad vibrations

What is vibration?	Why is it a health hazard?	What are the exposure monitoring requirements?	What are the health monitoring requirements?
	<ul> <li>digestive problems</li> <li>reproductive organ damage in both men and women</li> <li>impairment of vision, balance or both.</li> </ul>	and assessing workplace exposure to whole body vibration or Safe Work Australia: Guide to measuring and assessing workplace exposure to hand arm vibration <sup>2</sup> .	

## Controls for WBV and HAV health hazard

Consider if tasks relating to vibrating plant can be removed from the workplace. For example, introducing remotely controlled mobile plant rather than plant driven by workers.

If it is not reasonably practicable to eliminate the risk then consider implementing the following options in the order they appear below to minimise risks:

- 1. Substitute the hazard with something safer including purchasing or hiring mobile plant that has lower vibration emission or is more suited to the task e.g. where forklifts are regularly used in unpaved loading yards using a forklift designed for this use rather than one designed for indoor use.
- 2. Isolate the hazard from people e.g. isolate or dampen a work platform to eliminate or minimise vibration from a motor using rubber mounts and flexible connection.
- 3. Use engineering controls e.g. install seats on mobile plant designed to minimise vibration, select tyre types suitable for the terrain, and maintain suspension, roadways and tyres.

If, after implementing the above control measures a risk still remains, consider the following controls in the order below to minimise the remaining risk:

<sup>2</sup> Safe Work Australia, May 2016, Guide to managing risks of exposure to whole body vibration in workplaces

## Controls for WBV and HAV health hazard

- 4. Use administrative controls e.g. implementing speed limits on gravel or dirt roads or introducing a roster system to minimise how long each worker is exposed to WBV.
- 5. Use personal protective equipment (PPE) e.g. workers standing on a vibrating platform may benefit from anti-vibration floor mats, or shoes with soles designed to reduce transmission of vibration to the feet. In most cases PPE is unlikely to be effective on its own as a control measure to reduce WBV exposures.
- 6. Cold weather or conditions may accelerate or worsen the severity of back pain so it is good practice to make sure people working in the cold are provided with warm and if necessary, waterproof clothing.
- 7. A combination of the controls set out above may be used if a single control is not enough to minimise the risks.

© State of New South Wales through Regional NSW 2024. You may copy, distribute, display, download and otherwise freely deal with this publication for any purpose, provided that you attribute Regional NSW as the owner. However, you must obtain permission if you wish to charge others for access to the publication (other than at cost); include the publication in advertising or a product for sale; modify the publication; or republish the publication on a website. You may freely link to the publication on a departmental website.

Disclaimer: The information contained in this publication is based on knowledge and understanding at the time of writing (May 2024) and may not be accurate, current or complete. The State of New South Wales (including Regional NSW), the author and the publisher take no responsibility, and will accept no liability, for the accuracy, currency, reliability or correctness of any information included in the document (including material provided by third parties). Readers should make their own inquiries and rely on their own advice when making decisions related to material contained in this publication.